

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		compensat\$4 with illuminat\$4 with var\$5 and imag\$3 adj scan\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 11:08
		compensat\$4 with illuminat\$4 with var\$5	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:05
S1	234	358/509.ccls	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/12 15:07
S2	1	358/509.ccls. and (scanline and intensity and array)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/12 16:03
S3	2	(scanline and intensity and imaging adj array)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/12 16:05
S4	4847	compensat\$4 with illuminat\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/12 16:06
S5	14	compensat\$4 with illuminat\$4 same image adj scanner	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 11:04
S6	36	compensat\$4 with illuminat\$4 with varia\$4 and imag\$3 adj scan\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 11:08
S7	29	compensat\$4 with illuminat\$4 with varia\$4 and "358"/\$. ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 11:09
S8	20	("4408231"   "4491961"   "4554583"   "4803556").PN. OR ("5278674").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/02/17 13:28
S9	6	("4580172"   "4806780"   "5278674"   "5969845"   "6028681"   "6424748").PN. OR ("6667817").URPN	US-PGPUB; USPAT; USOCR	OR	OFF	2004/02/17 13:36
S10	2265	illuminat\$3 with stabl\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 14:32

S11	63	illuminate\$3 with stable\$4 same compensation\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 14:32
S12	63	illuminate\$3 with stable\$4 same compensation\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 14:33
S13	309	output with array with scan\$4 with intensity\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:08
S14	2	output with array with scan\$4 with intensity\$4 and scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:09
S15	38	output with array with scan\$4 with intensity\$4 and "358"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:11
S16	0	output with array with scan\$4 with intensity\$4 and illumination adj stable\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:11
S17	25	illumination adj stable\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:15
S18	8	initiate adj image adj scanning	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:19
S19	1033	monitor adj intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:19
S20	31	monitor\$3 adj intensity with illumination	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:24
S21	65	intensity with scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:27
S22	13	intensity with scanline and "358"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:20

S23	18	intensity with scanline and (output with array)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:28
S24	12	intensity with scanline and (output with array) and illumination	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 15:28
S25	1549	sufficient adj illumination	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 15:51
S26	16	sufficient adj illumination same stabl\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 16:36
S27	7	imaging with array with scanning same intensity same illumination	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 16:47
S28	574	intensity same lamp same warm\$3	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 16:47
S29	0	intensity same lamp same warm\$3 and (imaging adj array)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/02/17 16:47
S30	0	intensity with scanline with (lamp light) same (warm\$3 heat\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:21
S31	0	intensity same scanline same (lamp light) same (warm\$3 heat\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:22
S32	1	intensity and scanline same (lamp light) same (warm\$3 heat\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:24
S33	23474	intensity same (lamp light) same (warm\$3 heat\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:24
S34	4029	intensity same (lamp light) same (warm\$3 heat\$3) same illuminat\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:25

S35	1116	intensity same (lamp light illumination) same (warm\$3 heat\$3) same scanning	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:25
S36	93	intensity same (lamp light illumination) same (warm\$3 heat\$3) same scanning and ("358"/\$.ccls. or "382"/\$.ccls.)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:39
S37	7	control with illumination with stabl\$4 and ("358"/\$.ccls. or "382"/\$.ccls.)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:46
S38	0	lamp adj monitoring adj array	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:46
S39	4241	lamp near5 array	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:46
S40	53	lamp near5 array with monitor\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:48
S41	0	lamp near5 array with monitor\$4 and "358"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:47
S42	0	lamp near5 array with monitor\$4 and "382"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:47
S43	1	lamp near5 array with monitor\$4 same scan\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:49
S44	3151	without near5 (illumination light lamp) same stabl\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:50
S45	75	without adj (illumination light lamp) same stabl\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:52
S46	52400	(illumination light lamp) with stabl\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:52

S47	62	(illumination light lamp) with stablized	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:52
S48	19877	(illumination light lamp) with stabilized	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:52
S49	1586	(illumination light lamp) with stabilized same without	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:53
S50	2	(illumination light lamp) with stabilized same without adj waiting	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:57
S51	163	(illumination light lamp) with stabilized with scanning	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/02/17 17:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		358/509 ccls	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
		(projecting adj image) same (sensing with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:29
		projecting adj image same (sensing with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
		projecting adj image same (sensing with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 13:26
L1	1	(pel pixel pixle) with (scan adj line or scanline) same (thermal adj noise)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 08:56
L2	0	(pel pixel pixle) with (scan adj line or scanline) same (thermal adj noise) same intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 08:45
L3	0	"55843400".pn	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 08:48
L4	2	"5584340".pn	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 08:48
L5	0	(pel pixel pixle) with (scan adj line or scanline) and (thermal adj noise) with intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:00
L6	1	(pel pixel pixle) with (scan adj line or scanline) and (thermal adj noise) same intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:06
L7	94	(pel pixel pixle) and (scan adj line or scanline) and (thermal adj noise) and intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27

L8	33	(pel pixel pixle) and (scan adj line or scanline) and (thermal adj noise) and intensity and "358"/	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:08
L9	8	(pel pixel pixle) and (scan adj line or scanline) and (thermal adj noise) and intensity and "358"/\$ccis.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:16
L10	2	storing with (imag\$3 adj array) and scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:17
L11	3	interpolat\$3 adj intensity same illumination	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:19
L12	20	interpolat\$3 adj intensity same array	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:20
L13	1	interpolat\$3 adj intensity same scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:26
L14	12	output with array with scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:27
L15	6	output with array with scanline same (stor\$3 memory)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:42
L16	7	output with array with scanline same (stor\$3 memory buffer)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 09:42
L17	7	output with array with scanline same (stor\$3 memory buffer ram rom)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:04
L18	0	output with array with scanline and modify\$3 with (stor\$3 memory buffer ram rom)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:05
L19	14	array with scanline and modify\$3 with (stor\$3 memory buffer ram rom)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:05

L23	1	comput\$3 adj interpolat\$3 adj intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:26
L24	11	comput\$3 with interpolat\$3 adj intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27
L25	3991	250/208.1	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27
L26	0	250/208.1 and 11	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27
L27	0	(pel pixel pixle) and (scan adj line or scanline) and (thermal adj noise) and intensity and 358/480	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27
L28	0	(pel pixel pixle) and (scan adj line or scanline) and (thermal adj noise) and intensity and 358/475	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:27
L29	0	(projecting adj image) same (sensing with detector) and 358/475	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
L30	0	(projecting adj image) same (sensing with detector) and 358/461	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
L31	0	projecting adj image same (sensing with detector) and 355/203.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
L32	0	projecting adj image same (sensing with detector) and 355/228.ccls	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
L33	0	projecting adj image same (sensing with detector) and 355/208.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28
L34	240	358/509.ccls	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:28

L35	0	(projecting adj image) same (sensing with detector) and 345/606.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:29
L36	116	345/643.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:29
L37	34	345/643.ccls. and intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:29
L38	0	340/728.ccls. and 24	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L39	0	340/747.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L40	0	340/728.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L41	0	355/203.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L42	311	355/228	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L43	2051	355/208	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:30
L44	213	345/606	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:31
L45	154	345/643	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:31
L46	4108	364/521	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:31

L47	73	364/521 and interpolat\$3 with intensity	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:31
L48	0	364/521 and interpolat\$3 with intensity same scanline	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:32
L49	166	first and second adj measurement and intensity same illumination	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:33
L50	87	first with second adj measurement and intensity same illumination	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:33
L51	67	first with second adj measurement and intensity same illumination and (stor\$3 memory buffer)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:38
L52	121	(first with second) adj ( value measurement) and intensity same illumination and (stor\$3 memory buffer)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:41
L53	7	(first with second) adj ( value measurement) same intensity same illumination and (stor\$3 memory buffer)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 10:41
S1	15373	(project\$3 with image) same (feature mark defect scratch deposit)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 09:05
S2	31	(project\$3 with image) same (feature mark defect scratch deposit) same (deduc\$3)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 09:10
S3	891	(project\$3 with image) same (feature mark defect scratch deposit) same detector	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 09:11
S4	2	(project\$3 with image) same (feature mark defect scratch deposit) same detector same deduc\$3	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 09:13
S5	33	(project\$3 with image) same (feature mark defect scratch deposit) same detector same(analyz\$3 deduc\$3 conceiv\$3 deduct\$3)	USPAT; USOCR; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 09:17

S6	11	(project\$3 with image) with (feature mark defect scratch deposit) same detector same(analyz\$3 deduc\$3 conceiv\$3 deduct\$3)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 10:23
S10	1057	(image adj project\$4) with (feature mark scratch defect deposit)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 10:46
S11	29	(image adj project\$4) with (feature mark scratch defect deposit) with detector	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 10:54
S12	869	project\$3 with image same (sens\$3 with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 10:55
S13	869	(project\$3 with image) same (sens\$3 with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 10:57
S14	4	(project\$3 with image) same (sens\$3 with detector) and (deduc\$3 with location)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 11:01
S15	15	(project\$3 with image) and (sens\$3 with detector) and (deduc\$3 with location)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/05 12:22
S16	14	projecting adj image same (sensing with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 13:27
S17	14	projecting adj image same (sensing with detector)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 13:26
S18	238	358/509.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 13:27
S19	0	358/509.ccls. and S16	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 13:27
S20	1	projecting adj image same (sensing with detector) and "358"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 14:34

S21	2	"5153745".pn.	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 14:52
S22	0	"09401574"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:19
S23	1	(monitoring adj color) same (scanline) and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:19
S24	1	("2002/0093694"):URPN	USPAT	OR	OFF	2004/05/10 15:20
S25	0	color with illumination same scanline and "358"/\$.ccls.	USPAT	OR	OFF	2004/05/10 15:21
S26	1	((color colour) with illumination) same scanline	USPAT	OR	OFF	2004/05/10 15:21
S27	2	((color colour) with illumination) same scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:22
S28	920	((color colour) with illumination) same length	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:22
S29	5	monitor\$3 with ((color colour) with illumination) same length	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:24
S30	103	((color colour) with illumination) same length same scan\$4	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:47
S31	20689	measur\$3 with time with T	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:48
S32	476	measur\$3 with time with T with intensity	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:48
S33	7	measur\$3 with time with T with intensity same (pel pixel pixle)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:49
S34	202	measur\$3 with time with T with intensity same (lamp light pel pixel pixle)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:50

S35	13	measur\$3 with time with T with intensity same (lamp light) and (pel pixel pixle)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:50
S36	2	measur\$3 with time with T with intensity same ((lamp light) and (pel pixel pixle))	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:53
S37	0	measur\$3 with time with T with intensity same (pel pixel pixle) with scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:54
S38	47	intensity same (pel pixel pixle) with scanline	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/10 15:56
S39	28	intensity with lamp same position same (pel pixel pixle)	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/05/11 08:44